

Bathroom Collection



www.prismabathrooms.com











All floor mounted vanity units are 830mm tall and

450mm deep.

Floor Mounted Vanity Units c/w Basin Only

Mm008



Drawers include a recess to facilitate plumbing!



Ceramic Basins Only

MOOD60	60cm Wide	€228.69
MOOD80	80cm Wide	€304.92
MOOD100	100cm Wide	€381.15
MOOD120	120cm Wide	€457.38

Wall Mounted Vanity Units

01	MOOD60V3W	600mm	1 Drawer	With Basin	€477.10
02	MOOD80V3W	800mm	1 Drawer	With Basin	€600.06
03	MOOD100V3	1000mm	1 Drawer	With Basin	€727.96
04	MOOD120V3	1200mm	2 Drawers	With Basin	€944.38

Floor Mounted Vanity Units

05	MOOD60V1W	600mm	2 Door	With Basin	€437.75
06	MOOD60V2W	600mm	2 Drawer	With Basin	€590.23
07	MOOD80V1W	800mm	2 Door	With Basin	€545.95
80	MOOD80V2W	800mm	2 Drawer	With Basin	€718.11



Tall Boys Note: Tall Boys are supplied as left hand hinge as s			tandard
09	MOOD35TB	350mm Wide, 320mm Deep, 180cm Tall	
		Open Shelving Unit with Bottom Door €	265.59
10	MOOD35TB2	350mm Wide, 320mm Deep, 180cm Tall	
		Boy with 2 Full Doors €	314.79



Concealed Fixing Method for all Wall Mounted Cabinets and Mirrors

150cm Tall Wall Cabinets

11	MOOD30W3	300mm Wide, 170mm Deep Full Mirror Door	€196.75
12	MOOD30W2	300mm Wide, 170mm Deep Mirror/Door	€201.92
13	MOOD30W1	300mm Wide, 170mm Deep Full Plain Door	€206.57

Note: All single door cabinets are supplied left hand hinge as standard.



70cm Tall Wall Cabinets

14	MOOD27W	300mm Wide, 100mm Deep 1 Door Mirror	€78.70
15	MOOD52W4	600mm Wide, 100mm Deep 2 Door Mirror	€98.37









Wall Mirrors

15	MOODM1	43cm x 73cm Universal Fitting Floating Wall Mirror	€93.43
16	MOODIM1	43cm x 73cm Universal Fitting Floating Illuminated Wall Mirror	€157.40

Bath Panels

MOOD70W	700mm End with Plinth	€73.76
MOOD75W	750mm End with Plinth	€78.69
MOOD80W	800mm End with Plinth	€83.61
MOOD170W	1700mm Side with Plinth	€118.05
MOOD180W	1800mm Side with Plinth	€127.87





18	MOODSM1	Swivel Mirror Turn Panel	€304.94
19	MOODSM2	Swivel Mirror Turn Box	€339.38
20	MOODSM3	Swivel Mirror Turn Line	€388.55











Floor Mounted Vanity Units c/w Basin Only

All floor mounted vanity units are 830mm tall and 450mm deep.





Drawers include a recess to facilitate plumbing!

Ceramic Basins Only

MOOD60	60cm Wide	€228.69
MOOD80	80cm Wide	€304.92
MOOD100	100cm Wide	€381.15
MOOD120	120cm Wide	€457.38



Wall Mounted Vanity Units

01	MOOD60V3G	600mm	1 Drawer	With Basin	€570.56
02	MOOD80V3G	800mm	1 Drawer	With Basin	€713.19
03	MOOD100V1G	1000mm	1 Drawer	With Basin	€870.59
04	MOOD120V1G	1200mm	2 Drawers	With Basin	€1131.27

Floor Mounted Vanity Units

05	MOOD60V1G	600mm	2 Door	With Basin	€521.36
06	MOOD60V2G	600mm	2 Drawer	With Basin	€718.11
07	MOOD80V1G	800mm	2 Door	With Basin	€639.42
08	MOOD80V2G	800mm	2 Drawer	With Basin	€870.59



Ta	II Boys	Note: Tall Boys are supplied as left hand hinge as	standard
09	MOOD35TBG	350mm Wide, 320mm Deep, 180cm Tall	
		Open Shelving Unit with Bottom Door	€319.70
10	MOOD35TB2G	350mm Wide, 320mm Deep, 180cm Tall	
		Boy with 2 Full Doors	€359.05



Concealed Fixing Method for all Wall Mounted Cabinets and Mirrors

150cm Tall Wall Cabinets

11	MOOD30W3G	300mm Wide, 170mm Deep Full Mirror Door	€231.16
12	MOOD30W2G	300mm Wide, 170mm Deep Mirror/Door	€236.09
13	MOOD30W1G	300mm Wide, 170mm Deep Full Plain Door	€245.92

Note: All single door cabinets are supplied left hand hinge as standard.



70cm Tall Wall Cabinets

14	MOOD27WG	300mm Wide,	100mm Deep 1 Door Mirror	€98.37
15	MOOD52W4G	600mm Wide,	100mm Deep 2 Door Mirror	€122.96



MOOD FURNITURE ACRYLIC ANTHRACITE FINISH







Wall Mirrors

15 N	MOODM1	43cm x 73cm Universal Fitting Floating Wall Mirror	€93.44
16 N	MOODIM1	43cm x 73cm Universal Fitting Floating Illuminated Wall Mirror	€157.40

Bath Panels

MOOD70G	700mm End with Plinth	€103.28
MOOD75G	750mm End with Plinth	€113.11
MOOD80G	800mm End with Plinth	€122.96
MOOD170G	1700mm Side with Plinth	€162.31
MOOD180G	1800mm Side with Plinth	€172.13



Swivel Mirrors

18 MOODSM1G	Swivel Mirror Turn Panel	€373.82
19 MOODSM2G	Swivel Mirror Turn Box	€422.87
20 MOODSM3G	Swivel Mirror Turn Line	€472 19









Code	Overall height (to £ of wall	Width (Panel / Box)	Height (Panel / Box)	Depth (Panel / Box)	Leg Height
MOODSM1G	1900mm	345mm	1700mm	100mm	130mm
MOODSM2G	1870mm	315mm	1660mm	275mm	130mm
MOODSM3G	1900mm	495mm	1700mm	245mm	130mm



ELANO Melamine Finish Dust Grey

Floor Mounted Vanity Units c/w Basin Only

Universal Fitting Floating Wall Mirror





Can be hung both landscape or portrait.


Wall Mirrors

03	ELANM1	43cm x 73cm Universal Fitting Floating Wall Mirror	€88.55
	ELANIM1	43cm x 73cm Universal Fitting Floating Illuminated Wall Mirror	€152.48

Tall Boys		Note: Tall Boys are supplied as left hand h	ninge as standard
04	ELAN35TBG	350mm Wide, 320mm Deep, 180cm Tall	
		Open Shelving Unit with Bottom Door	€231.18
05	ELAN35TB2G	350mm Wide, 320mm Deep, 180cm Tall	
		Boy with 2 Full Doors	€280.36

04









01	ELAN60V2	600mm	2 Drawer	With Basin	€580.80
	ELAN80V2	800mm	2 Drawer	With Basin	€689.70
	ELAN60V1	600mm	2 Door	With Basin	€447.70
02	ELAN80V1	800mm	2 Door	With Basin	€544.50



Swivel Mirrors

08 ELANSM1	Swivel Mirror Turn Panel	€290.21
09 ELANSM2	Swivel Mirror Turn Box	€314.79



Note: All single door cabinets are supplied left hand hinge as standard.

Bath Panels

ELAN70	700mm End with Plinth	€49.20
ELAN75	750mm End with Plinth	€54.11
ELAN80	800mm End with Plinth	€63.94
ELAN170	1700mm Side with Plinth	€88.55
ELAN180	1800mm Side with Plinth	€93.46

Code	Overall height (to £ of wall bracket)	Width (Panel / Box)	Height (Panel / Box)	Depth (Panel / Box)	Leg Height
ELANSM1	1900mm	345mm	1700mm	100mm	130mm
ELANSM2	1870mm	315mm	1660mm	275mm	130mm



70cm Tall Wall Cabinets

10	ELAN30WM	300mm Wide, 100mm Deep 1 Door Mirror	€78.70
11	ELAN30W	300mm Wide, 100mm Deep 1 Door Plain	€68.85

12	ELAN60WM	600mm Wide, 100mm Deep 2 Door Mirror	€98.31
13	ELAN60W	600mm Wide, 100mm Deep 2 Door Plain	€86.06



Melamine Finish Twilight Grey

Reno







All vanity units with doors are 770mm tall All vanity units with and 450mm deep.

01	PD50V1G	500mm	2 Door	With Compact Laminate C/Top only*	€286.46
02	PD75V1G	750mm	2 Door	With Compact Laminate C/Top only*	€341.56
03	PD75V2G	750mm	2 Drawer	With Compact Laminate C/Top only*	€465.32
	PD75V1TG	750mm	2 Door	Twilight Grey	€341.56

drawers are 770mm tall and 500mm deep.

Floor Mounted Vanity Units

*As a wide variety of countertop mounted basins are available the vanity unit is priced without the basin. The basins available and prices are listed on the following pages.

Tall Boy

04 PDTBG 350mm Wide, 180cm Tall Open Shelving Unit with Bottom Door €231.15

Note: The Tall Boy is 300mm deep and is supplied as left hand hinge as standard

Swivel Mirror 05 PDSM2G

PDSM10	DSM1G Turn Pa		Panel	
Overall height (to of wall	Width (Panel /	Height (Panel /	Depth	Leg

Swivel Mirror Turn Box €314.80

70cm Tall Wall Cabinets

Overall height (to € of wall bracket)	Width (Panel / Box)	Height (Panel / Box)	Depth (Panel / Box)	Leg Height
1870mm	320mm	1660mm	275mm	130mm



Bath Panels

PD70G 700mm End with Plinth €49.20 PD75G 750mm End with Plinth €54.11 800mm End with Plinth PD80G €63.94 PD170G 1700mm Side with Plinth €88.55 PD180G 1800mm Side with Plinth €93.46



06 PD30WG 300mm Wide, 100mm Deep 1 Door €68.85 07 PD30WGM 300mm Wide, 100mm Deep 1 Door Mirror €78.70








Wall Mirrors

09	PD1MG	430mm x 730mm Universal Fitting	
		Floating Wall Mirror - Dakar	€88.55
10	PD1MGI	430mm x 730mm Universal Fitting	
		Floating Illuminated Wall Mirror - Dakar	€152.48



The Clara - LED Illuminated Mirror



02 6580 The Clara Illuminated LED Mirror €266.20

- Operating Mode: High Voltage 220-240V, 50/60Hz
 Frame: Aluminium profile
 Frame: Aluminium profile
 Mirror Plate: Silver Glass
 Size: W800 x H600 x 30mm
 LED type: SMD2835
 Wattage: 12W
 IP Rating: IP44
 Framy Efficiency Class: A+

- Energy Efficiency Class: A+



- Light colour: 4000K
 Mounting: may be hung vertically or horizontally
 Working Lifetime: 30,000h
 De-mister pad included (prevents condensation forming on the mirror)
 Touch Button operation.
 Class II





Contemporary Gloss White PRB70 700mm End with Plinth €64.93 PRB75E 750mm End with Plinth €68.87 PRB80 800mm End with Plinth €72.79 PRB170 1700mm Side with Plinth €113.14 PRB180 1800mm Side with Plinth €121.97

Traditional White Ash

PB70W	700mm End with Plinth	€58.03
PB75W	750mm End with Plinth	€61.98
PB80W	800mm End with Plinth	€65.92
PB170W	1700mm Side with Plinth	€108.22
PB180W	1800mm Side with Plinth	€118.05










04	IVE4	Full Pedestal	€35.04
05	IVE6	Semi Pedestal	€39.88
06	IVE3	55cm One TH Basin	€60.79



07	IVE2	WC BTW Pan with Soft	
		Close Seat & Cover	€179.56
80	IVE5	Replacement Toilet Seat & Cover	€38.72
09	IVE1	WC Suite With Soft Close	
		Seat & Cover	€227.19





DOC M Design WC Kit - with White Rails & Seat



Contents include:

51cm Cloakroom Basin One Tap Hole

Monobloc Basin Mixer c/w PUW

1/4" Telescopic Inlet Bottle Trap

Comfort Height WC Suite incorporating Easy Flush Flush Valve and Anti Viral Toilet Seat

4 No. 24" White Grab Rails

White Hinged Grab Rail

Alternative Specification 1

Contents include:

As above, but with Monobloc Thermostatic Mixing Tap

DOCMW2

Alternative Specification 2

Contents include:

As above, but with Monobloc Electronic Operated Mixing Tap, Anti Viral Toilet Seat & Cover and Electronic Operated Flush Valve





€544.50











DOC M Design WC Kit - with Blue or Red Rails & Seat







Contents include:

51cm Cloakroom Basin One Tap Hole Monobloc Basin Mixer c/w PUW

DOCMR1

€605.00

11/4" Telescopic Inlet Bottle Trap

Comfort Height WC Suite incorporating Easy Flush Flush Valve and Anti Viral Toilet Seat

4 No. 24" Red Grab Rails

Red Hinged Grab Rail

Alternative Specification 1

Contents include:

As above, but with Monobloc Thermostatic Mixing Tap

DOCMR2 €780.45

Alternative Specification 2

Contents include:

As above, but with Monobloc Electronic Operated Mixing Tap, Anti Viral Toilet Seat & Cover and

Electronic Operated Flush Valve
DOCMR3 €1089.00



Contents include:

51cm Cloakroom Basin One Tap Hole

DOCMB1

€605.00

Monobloc Basin Mixer c/w PUW 11/4" Telescopic Inlet Bottle Trap

Comfort Height WC Suite incorporating Easy Flush Flush Valve and

Anti Viral Toilet Seat

4 No. 24" Blue Grab Rails

Blue Hinged Grab Rail

Alternative Specification 1

Contents include:

As above, but with Monobloc Thermostatic Mixing Tap

DOCMB2 €780.45

Alternative Specification 2

Contents include:

As above, but with Monobloc Electronic Operated Mixing Tap, Anti Viral Toilet Seat & Cover and

Electronic Operated Flush Valve

DOCMB3 €1089.00








CONCEALED WC FRAMES WITH DUAL FLUSH FUNCTIONALITY


Features & Benefits


- two models to choose from low and high
- two plates to choose from square and circular
- height adjustable powder coated frame
- dual flush operation 3 & 6 liter

- load resistance up to 400 Kgfill duration of cistern 39 seconds @ 3bar
- supplied complete with all necessary components
- robust and durable construction
- cisterns incorporate original Fluidmaster fittings














01	P47	Round Plate	€52.03
02	P43	Square Plate	€52.03
03	PWHP1	Pan	€119.79
04	PWCBC3	Pan	€133.10





LED Bathroom Mirror Light c/w 90 Deg. Curved Bracket IP44, 4000K, 5W, 15V, 350mA, Class III



LED Bathroom Light Driver with Switch. IP44 Rated, 240 VAC



Spare Globe for Halogen **Bathroom Mirror Lights**

Halogen G4 Replacement Bulb 20Watt, 12v

GU4GLASS 3.02



G420W12V 1.81

Chrome Halogen Spot Light 12V 20W Imp 0.15m Cable with Mini AMP Male Plug

HALC20W

4.82

Electronic Transformer 10-105w Load 230Vac,50/60Hz,Output:12V~



TRANS105W 13.99

White Round Rocker Switch 12V with 0.6m Connecting Cable

36.30

9188



SW12VW 3.61

Black Round Rocker Switch 12V with 0.6m Connecting Cable



SW12VB 3.61

White Amp Connecting **Lead Male to Female Extender**



LEAD03 2.40 LEAD06 2.40

LED White Spot Light Chrome c/w 150mm Amp Connector




LED12CH 9.66

LED White Spot Light Satin c/w 150mm Amp connector



LED12SA 9.66





DRIVER 16.48

Compatibility Chart								
	2923	HALC20W	SW12VW	SW12VB	LEAD03	LEAD06	LED12CH	LED12SA
9188	V	X	V	V	V	V	X	X
TRANS105W	X	V	V	V	V	V	X	X
DRIVER	X	X	V	V	V	V	V	V
GU4GLASS	V	NOT RELEVANT						
G420W12V	V	V	NOT RELEVANT					

Island free standing baths are made from 3.0mm thick Lucite acrylic sheet. For strength and rigidity they are sprayed with a heavy resin bonded mesh backing. They feature a double wall construction - the wall of the bath and the wall of the outer shroud. The baths also feature a zinc plated metal base frame which include adjustable levelling feet. Included with each bath is an chromium plated popper waste and overflow outlet and shallow seal water trap with flexible pipe attached.



€1247.32



Crown Contract Taps



12ABT

Pair 1/2" Basin Taps

€31.94



34ABT

Pair 3/4" Basin Taps

€37.58



12ABM

1/2" Monobloc Basin Mixer

€48.84



12ABIM

1/2" Monobloc Bidet Mixer

€54.45



34ABF

3/4" Bath Mixer & Filler

€72.41



34ABSM 3/4" Bath Mixer with Shower Attachment

€82.04

Quarter Turn Lever with Ceramic Disc



12ABT14

Pair 1/2" Basin Taps

€37.63



34ABT14

Pair 3/4" Basin Taps

€44.38



12ABM14

1/2" Monobloc Basin Mixer

€53.65



34ABF14

3/4" Bath Mixer & Filler

€87.72





VICTORIAN

Traditional Victorian



12VBT

Pair 1/2" Basin Taps





34VBT

Pair 3/4" Basin Taps





12VBAM

1/2" Monobloc Basin Mixer

€75.62



12VBIM

1/2" Monobloc Bidet Mixer

€83.18



34VBF

3/4" Bath Mixer & Filler

€96.49



34VBSM

3/4" Bath & Shower Mixer

€128.43

Traditional Edwardian



12EBT

Pair 1/2" Basin Taps

€53.65



34EBT

Pair 3/4" Bath Taps

€65.49



12EBAM

1/2" Monobloc Basin Mixer

€90.75





Round Bodied Taps & Mixers



P12BTR Pair 1/2" Basin Taps

€61.08



P34BTR Pair 3/4" Bath Taps

€72.00



PSBMR	Standard Basin Mixer	€78.02
PIBMR	Intermediate Basin Mixer	€99.09



Bath Mixer & Filler €107.13





PBMFR1 Bath Mixer & Filler with Shower Hose Connection €137.14

Square Bodied Taps & Mixers



P12BT Pair 1/2" Basin Taps

€64.32



P34BT Pair 3/4" Bath Taps

€75.79



PSBM	Standard Basin Mixer	€82.13
PIBM	Intermediate Basin Mixer	€104.33
DTD11		2100 70
PTBM	Tall Basin Mixer	€132.72







Rounded Square Bodied Taps & Mixers



PMBM

Monobloc Basin Mixer w/o Waste Outlet

€72.55

KISS1 Monobloc Basin Mixer c/w PUW

€45.69







PMMF1

Bath/Shower Mixer c/w Hose, Hand Spray & Bracket

€166.59

KISS2

Bath/Shower Mixer c/w Hose, Hand Spray & Bracket

€120.71

Shower Valves

Twin Concealed Thermostatic Shower Valve Square Handle (1 way)



SLINE30

€190.58

Twin Concealed Thermostatic Shower Valve Round Handle (1 way)



SLINE31

€185.13

Twin Concealed Thermostatic Shower Valve Traditional Handle (1 way)



SLINE32

€216.71

Triple Concealed Thermostatic Shower Valve Square Handle (2 way)



Triple Concealed Thermostatic Shower Valve Round Handle (2 way)





Triple Concealed Thermostatic Shower Valve Traditional Handle (2 way)



Traditional Thermostatic Dual Control Shower Valve with Rigid Riser Kit, Shower Head & **Hand Spray**

Square T Pattern Thermostatic Dual Control Shower Valve with Rigid Riser Kit, Shower Head & Hand Spray





Technical Data Minimum inlet pressure: 2 bar (to provide an invigorating shower). Maximum inlet pressure: 6 bar SLINE17K €166.35 Thermostatic Shower Valve Kit **Features Exposed Thermostatic Mixer** Pipe Concealing Rosettes Included 1/4 Turn Ceramic Disc Flow Control Safety Lock Device on Temperature Control 4 Function Hand Shower High Quality Chrome Construction Push Button Riser Rail Operation Expected outlet flow rates in litres per minute based on the tabled dynamic water pressures : Pressure (bar) 2.0 2.5 3.0



SLINE51 Traditional Dual Control




TSV100 Thermostatic Shower Valve €105.88

Expected outlet flow rates in litres per minute based on the tabled dynamic water pressures:

2.0 2.5 Pressure (bar) Flow rate (litre) 10 12.5 15

Features

- Exposed Thermostatic Mixer
- Pipe Concealing Rosettes Included
- 1/4 Turn Ceramic Disc Flow Control
- Safety Lock Device on Temperature Control




Expected Flow Rates (liters)




SFKR €19.94 Rounds Shower Fixing Brackets **SFKS** Square Shower Fixing Brackets €20.64

This kit is designed to be used with Bar Type Shower Valves - both manual and thermostatically controlled, and which have 3/4" BSP hot and cold water connections on the rear face which are at fixed 150mm centres.



Flow rate (litre) 10 12.5 15





temperature.



TMIXS Thermomix S Thermostatic Valve €252.94

This control blends hot and cold water and delivers it at a safe and

comfortable pre calibrated and non user adjustable* temperature of 43

Deg. Celsius. It features independent flow and temperature controls

which facilitates reducing or increasing the flow and reducing the outlet

temperature. It employs a temperature sensitive element which expands

and contracts depending on the temperature of the water entering the shower. This expansion and contraction alters the size of the apertures through which the hot and cold water enters the shower; thereby

balancing and controlling the outlet temperature of the water to a safe

temperature. It responds rapidly to changes in temperature and pressure

in order to maintain a safe and reliable showering environment. * An

override button allows the user to exceed the preset maximum



TPB3058 €0.94

LF317W2

Mounting Bracket Shower Valve


Separately available are Blanking Plugs which can be used to close off the threaded openings to prevent debris entering the fittings. They are fitted with washers so will also stop water leakage whilst the shower circuit is filled and tested before the Shower Valve is fitted.




TPR3058

Typical Application















SLINE25 Showerline CP Shower Supply

€4.21

Wall Elbow

SLINE40 Round Shower Arm €23.50 SLINE41 Square Shower Arm €29.48



SLINE22 Shower Arm 390mm c/w CP Trim €28.48





SLINE21 Shower Arm 305mm c/w CP Trim €20.76

SLINE23 Shower Arm 190mm c/w CP Trim












Rotary Joint Shower Hose

SH125	1.25M	€12.95
SH150	1.5M	€14.37
Sh175	1.75M	€15.80

Shower Hoses

A SLINE26	1.5M x 11mm ID Shower Hose Hex x Conical Nut S/Steel Finish	€16.34
B SLINE28	1.5M x 9mm ID Shower Hose Hex x Conical Nut Silver Finish	€16.21
C SI INF27	1 5M x 11mm ID Shower Hose Hex x Conical Nut PVC Finish	€ 14 03











€20.09

85mm Single Setting Shower Head SLINE10 €11.40









€13.09



SLINE12



Spray


Shower Heads

€14.47

SLINE13 125mm Five Setting Shower Head €18.76

85mm Five Setting Shower Head

SLINE11 85mm Three Setting Shower Head



€12.58



SLINE9

Rectangular Single Setting Hand Spray with Water Saving Switch White/CP €10.33

with Water Saving Switch White/CP











SHOWER FITTINGS ECONOMY RANGE



01 R25	Multifunction Shower Hand Spray 1	€10.07
02 RRVHS	Repro. Victorian Style Hand Spray	€17.55
03 PSH	Round Pencil Style Hand Spray	€11.95



Single Function Shower Head

€10.38

05 BR20A Single Function Shower Head

€10.96







06 WG1

Shut Off Shower Head

€11.50

07	BK5	Shower Handspray Holder	€4.54
08	BK11	Adj. (Ball & Socket) Shower Handspray Bracket	€6.03
















11 BL90 Right Angled Shower Tube

€6.65

09 B7 150mm Diameter Rain Shower Head €11.04 **10** BL45 Angled Shower Tube €6.



When installed in a Shower or Wet Room Area, the Screws used to fix this Rail should be made from Stainless Steel

PBC9384	35cm Hand/Grab Rail (CP on Brass)	€32.07
PBC9385	49cm Hand/Grab Rail (CP on Brass)	€34.49



FLEXRAIL - Flexible Shower Curtain Rail Includes 3 x 1m lengths which easily connect together

Flexirail allows construction of many different shaped shower curtain rails. It is made from flexible aluminium profile which is easily manipulated by hand.

Included in the kit are: 24 slide hooks, 2 joiners, 2 wall support brackets and 2 ceiling support brackets



Included in the kit are: 24 slide hooks, 2 joiners, 2 wall support brackets and 1 ceiling support bracket



Here are some of the possible configurations which may be achieved




Long Sections with Bend The pre-formed sections of the Multirail system allows construction of "Corner" and "L" shaped shower curtain rails.

MULTIRAIL Shower Curtain Rail



- 900mm x 200mm









Adjust to Length -Twist to Lock

Features:

- No Mechanical Fixings Required
- Simple Twist & Lock Mechanism
- Self Supporting Rubber Ends to
- Prevent Damage

ERAIL3W	White - 710-1250mm	€15.22	
ERAIL2W	White - 1100-1800mm	€16.96	
ERAIL1W	White - 1350-2350mm	€19.72	
ERAIL3S	Chrome - 710-1250mm	€18.76	
ERAIL2S	Chrome - 1100-1800mm	€21.18	
ERAIL1S	Chrome - 1350-2350mm	€25.10	

SS1A Type A €8.47



18	S1	Heart Polyester Shower Curtain	€13.40
	S2	Dolphin Polyester Shower Curtain	€13.40
	S3	White Polyester Shower Curtain	€13.40
	S4	Beige Polyester Shower Curtain	€13.40
	S5	Aqua Polyester Shower Curtain	€13.40
	S6	Civic Polyester Shower Curtain	€13.40



SS2B Type B €8.47



SS3C Type C €8.47



1.2 Metre Lona 19 RINGA Pack of 10 Shower Curtain Rings €4.84

Floor seal which helps prevent water escaping a wet room area, especially when the floor drain is slightly clogged up. It must be stuck to the floor by means of silicone sealant.

Traditional C.P. on Brass Basin Wastes



11/4" with 31/2" Slotted Tail & Poly Plug & Chain

WST300	Slotted	€7.72

Flush Popper



C.P. on Brass Basin Wastes 11/4" with 31/2" Tail

WST100	Slotted	€12.54
WST101	Unslotted	€13.77

Square Dome Popper



C.P. on Brass Basin Wastes 11/4" with 31/2" Tail

WST100SD	Slotted	€16.08
WST101SD	Unslotted	€17.55

Flush Grated



C.P. on Brass Basin Wastes 11/4" with 31/2" Tail

1114FG312S	Slotted	€16.89
1114FG312U	Unslotted	€18.56

All Chrome Plated Towel Rail Radiator Valves

Pair Thermostatic Towel Rail RadiatorValves





Straight Pattern RV100SPT 1/2"

RV100APT 1/2"

Angle Pattern

€39.32

€39.32

Pair Towel Rail Radiator Valves




Pair Corner Pattern Towel Rail Radiator Valves



11/4" with 31/2" Slotted Tail & Chrome Plug & Chain

WST600	Slotted	€8.42
WST900	Unslotted	€11.18



WST100RD	Slotted	€14.79
WST101RD	Unslotted	€16.26



SBWSP	Slotted	€17.16
USBWSP	Unslotted	€18.80



Round Dome Popper




Swivel Plug Wastes



Bottle Traps

Round Chamber Telescopic



All Nickel Plated Towel Rail Radiator Valves

Standard Radiator Valves - Black Nickel Finish





Straight Pattern RVSPBN

€44.48 **Angle Pattern**

RVAPBN €44.48

Standard Radiator Valves - Anthracite Finish






Straight Pattern

RVSPA 1/2"

€40.66

Angle Pattern RVAPA 1/2"





Double Towel Rail

PBC4836N	47cm	€40.73
PBC4848N	62cm	€44.80



PBC4811N Double Robe Hook

€18.15

€24.42

PBC4838N Oval Towel Ring

PBC4876N Toilet Roll Holder

€29.16



€31.65

Accessories with Glass Components



PBC4881N Toilet Brush Holder & Brush



PBC4863N Soap Bottle & Holder €18.97

With White Ceramic Fittings (not illustrated)

PBC4881NW	Toilet Brush Holder	€27.13
PBC4863NW	Soap Bottle	€18.98
PBC4866NW	Soap Dish	€25.24
PBC4861NW	Tumbler	€25.24
PBC4862NW	Double Tumbler	€27.32



PBC4861N Single Tumbler Holder



€25.24 PBC4862N Double Tumbler Holder



PBC4866N Soap Holder



€25.24



Will take a hook weight of up to 10kg

Will secure to most relatively smooth surfaces

€27.13

- No fixings required!
- No drilling required!
- No skills required!
- No tools required!
- Install in seconds with the pushing of a button!




€27.32

PRESSON Hook



€6.05

Place the hook against the wall and push the button several times until resistance is reached. The hook is now firmly fixed to the wall and the red circle will no longer be visible. If the circle becomes visible in the future, it indicates that the hook is losing suction power and needs the button to be pushed a few more times. To remove the hook from the wall, simply release the pressure by squeezing the valve on top.







€20.23





€20.23



PBC70168 Double Tumbler Holder €26.89



Frostea C	alass	
PBC301	Toilet Brush Holder	€5.32
PBC401	Soap Bottle	€4.01
PBC201	Soap Dish	€3.72
PBC101	Tumbler	€3.32
Ceramic		
PBC300	Toilet Brush Holder	€5.32
PBC400	Soap Bottle	€4.01
PBC200	Soap Dish	€3.72
PBC100	Tumbler	€3.32
PBC500	Toilet Brush	€7.21

Waste Bin



Having a 5 litre capacity, this foot operated bin. comes complete with a removable polypropylene bin. Manufactured from a polished finished 0.5mm Grade 304 stainless steel. Dimensions: 280mm high, 205mm Diameter



Aquacel decorative PVC panels are designed to enable the provision of easily fitted and attractive wall finishes to bathrooms, shower rooms and kitchens - or any room where easily maintained, waterproof and clean surfaces are required. The panels can be applied to both walls and ceilings.

Available in six finishes, the panels are each 2.5m long, 250mm wide and 8mm thick. The cellular PVC construction incorporating tongue and groove jointing along the edges enables the provision of a smooth and attractive surface which can be fitted directly onto battens or any smooth wall surface. The cellular profile also provides a degree of insulation!


Aquacel Panels are easily trimmed using a craft knife so as to fit into awkward spaces. A variety of Trims provide the means of ensuring a tidy edge where the panels end or join other panels at a corner, or finish at ceiling level.

Application


Depending on the wall finish, Aquacel Panels can be secured in a number of ways. If the surface to which the Panels are to be applied are clean, dry, smooth and level, silicone or adhesive sealant may be all that is needed. Otherwise, use 45mm x 21mm vertical timber battening which corresponds to each joint as well as additional battens located so that they support the middle of the panels. Battens can also be positioned horizontally at 450mm intervals.

If bathroom and toilet fittings are to be located against Panelled walls, provide additional battening as needed to ensure that such items are supported by the battens and not the Panels. Staples, screws or brads can be used to secure the joints to the battens.

Note that the panels are fabricated so that the vertical edges interlock with a Tongue and Groove design. The panels can be used either way up, but if the panels are to be secured to battening, it is important that the vertical side with the back edge of the "groove" is secured first and the "tongue" side of the panels then slid into position.




As these illustrations show the Panels having grooves on the left and with the tongues to the right, they are shown being installed from right to left. If the panels are used with the Grooves on the right, then the installation would start on the left and proceed to the right.




	Aquacei Paneis secured to a waii using norizontal battens	
AQC1	Pack of 10 Gloss White Wall Panels	€114.35
AQC2	Pack of 10 Matt White Wall Panels	€114.35
AQC3	Pack of 10 Grey Marble Wall Panels	€114.35
AQC4	Pack of 10 Cream Marble Wall Panels	€114.35
AQC5	Pack of 10 Beige Marble Wall Panels	€114.35
AQC6	Pack of 10 Woodgrain White Wall Panels	€127.05
AQC7	Pack of 8 White/Chrome Ceiling Panels	€127.05
AQCA1	2.5M Length Plain End Cap	€2.66
AQCA2	2.5M Length Cornice Cap for Wall (8mm)	€3.34
AQCA3	2.5M Length Part 2 Internal Corner Joiner	€9.97
AQCA4	2.5M Length Cornice Cap for Ceiling (10mn	n)€6.65






Finishing Trims


There are three Trims which can be used to enable tidy and smart ways to complete an Aquacel Panel installation. All three are provided in lengths of 2500mm



Corner Jointing Trim



Cornice Edging Trim



Used to provide a tidy "cornice" effect where the panels meet a ceiling. Secure the Trim in position on the wall or battens if used and push the top of the panel into the opening at the rear of the angled section.





Wall Panel Installed Width 250mm


Panel Thickness

8mm

Panel Dimensions

Towel Warmer Heating Elements (incorporating a 1/2" F.I. Connection)







Code	Heat Watts	€
150HET	150 Watt	€47.19
300HET	300 Watt	€47.80
600HET	600 Watt	€48.40

White Curved Towel Warmer with Oval Rails

Code	Width	Height	Heat Watts	Output Btu's	€
PTW77W	500mm	770mm	399	1361	€78.65

Heat outputs are calculated based on a Δt of 50



Code	No. of Tubes	Width	Height	Heat Watts	Output Btu's	€
TW4080S	14	400mm	800mm	192	655	€108.90
TW40120S	20	400mm	1200mm	292	995	€139.15
TW5080S	14	500mm	800mm	228	776	€108.90
TW50120S	20	500mm	1200mm	346	1181	€139.15
TW50160S	26	500mm	1600mm	476	1624	€163.35
TW50180S	31	500mm	1800mm	541	1846	€203.88
TW6080S	14	600mm	800mm	263	897	€116.77
TW60120S	20	600mm	1200mm	410	1367	€149.44
TW60160S	26	600mm	1600mm	552	1884	€179.08
TW60180S	31	600mm	1800mm	628	2143	€220.82



Code	No. of Tubes	Width	Height	Heat Watts	Output Btu's	€
TW5080BN	14	500mm	800mm	192	655	€162.14
TW50120BN	20	500mm	1200mm	292	995	€226.27









Anthracite TW50120FA

Black Nickel TW50120FBN 12

matching radiator valves - details of which can

be found on the following two pages.

12

500 x 1200

500 x 1200

1491

1491

437

437

€229.90

€362.40




7070SQ	700mm x 700mm	€109.58
7676SQ	760mm x 760mm	€111.32
8080SQ	800mm x 800mm	€111.32
9090SQ	900mm x 900mm	€131.21
100100SQ	1000mm x 1000mm	€167.75

WATERBOX

Square Shower Trays

Dimensions	;				
Size (mm)	Α	В	С	D	Е
700 x 700	700	700	60	140	140
760 x 760	760	760	60	140	140
800 x 800	800	800	60	140	140
900 x 900	900	900	60	140	140
1000 x 1000	1000	1000	60	140	140






80QUAD	800mm x 800mm	€114.39
90QUAD	900mm x 900mm	€128.96
100QUAD	1000mm x 1000mm	€166.79


Quadrant Shower Trays


Difficition	10							
Size(mm)	Α	В	С	D	Е	F	G	Н
800 x 800	800	800	60	904	543	250	250	550
900 x 900	900	900	60	1045	643	350	350	550




Offset Quadrant Shower Trays

98QUADR	900mm x 800mm RH	€147.35
98QUADL	900mm x 800mm LH	€147.35
108QUADR	1000mm x 800mm RH	€150.28
108QUADL	1000mm x 800mm LH	€150.28
128QUADR	1200mm x 800mm RH	€161.90
128QUADL	1200mm x 800mm LH	€161.90
129QUADR	1200mm x 900mm RH	€176.47
129QUADL	1200mm x 900mm LH	€176.47





-|C|-



Re	ctan	gular Show	er Tra	ys
	9070	900mm x 700mm	€136.70	
	9076	900mm x 760mm	€140.58	
	9080	900mm x 800mm	€141.57	
	10070	1000mm x 700mm	€147.35	
1	10076	1000mm x 760mm	€147.35	
Δ.	10080	1000mm x 800mm	€147.35	S
	10090	1000mm x 900mm	€157.08	imensions
c-	11070	1100mm x 700mm	€161.90	Si
	110761	1100mm x 760mm	€161.90	E D
	11080	1100mm x 800mm	€166.78	Ĕ
	110901	1100mm x 900mm	€174.53	
	12070	1200mm x 700mm	€165.85	
	12076	1200mm x 760mm	€165.85	
	12080	1200mm x 800mm	€165.85	
++	12090	1200mm x 900mm	€180.36	
JĘ	14080	1400mm x 800mm	€206.50	
4	14090	1400mm x 900mm	€223.97	
tone	17070	1700mm x 700mm	€268.57	

				•		
ve	Size (mm)	Α	В	С	D	Е
ys	900 x 700	900	700	60	140	140
	900 x 760	900	760	60	140	140
	900 x 800	900	800	60	140	140
	1000 x 700	1000	700	60	140	140
	1000 x 760	1000	760	60	140	140
	1000 x 800	1000	800	60	140	140
	1000 x 900	1000	900	60	140	140
Dimensions	1100 x 700	1100	700	60	140	140
<u>.</u>	1100 x 760	1100	760	60	140	140
S	1100 x 800	1100	800	60	140	140
e	1100 x 900	1100	900	60	140	140
Ĕ	1200 x 700	1200	700	60	140	140
\equiv	1200 x 760	1200	760	60	140	140
_	1200 x 800	1200	800	60	140	140
	1200 x 900	1200	900	60	140	140
	1400 x 800	1400	800	60	700	140
	1400 x 900	1400	900	60	700	140
	1700 x 700	1700	700	60	850	140
	22"					

Pivot

WATERBOX

Bi Fold

The modern styling of the outward opening Pivot Door creates a supremely efficient and flexible solution. The carefully engineered door cleverly takes up less external space when opened to allow for other bathroom fixtures and fittings. The door can be installed into a recess or combined with a Side Panel to create a corner cubicle.



- Height: 1900mm
- Glass Thickness: 6mm

Picture is an 800mm Pivot Door

- Watertight magnetic seals
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth operation hinges with chromed plastic cover caps
- Reversible for left or right hand fixing

		Door Aperture	Adjustment	
WBP7CS	700mm Pivot Shower Door	400mm	640-690mm	€266.03
WBP76CS	760mm Pivot Shower Door	460mm	700-750mm	€266.03
WBP8CS	800mm Pivot Shower Door	500mm	740-790mm	€266.03
WBP9CS	900mm Pivot Shower Door	600mm	840-890mm	€281.20

The in-fold design of the inward opening Bi-Fold Door makes clever use of available space with minimum bathroom intrusion. The precision crafted glides and hinges ensure the toughened glass effortlessly folds back into the shower surround, whilst the sleek chrome frame maintains a sturdy and secure unit.

- Height: 1900mm
- Glass Thickness: 4mm
- Chromed plastic top caps
- Smooth running bearing assemblies running in the top and bottom rail
- Easy Installation
- Reversible for left or right hand fixing



		Door Aperture	Adjustment
WBB76CS	760mm Bi Fold Shower Door	435mm	700-750mm €318.96
WBB8CS	800mm Bi Fold Shower Door	475mm	740-790mm €321.30
WBB9CS	900mm Bi Fold Shower Door	575mm	840-890mm €334.18
WBB10CS	1000mm Bi Fold Shower Door	675mm	940-990mm €350.54

WBZEXS	Extension	Profile 40mm	Extra Adjustment	€69.21
--------	-----------	--------------	------------------	--------

Corner Entry



The Corner Entry is an ideal showering solution for when entry through the diagonal is more practical, but without the compromise on showering space. The 'quick release' system on the bottom of each door allows quick and unobstructed cleaning.



- Height: 1900mm
- Glass Thickness: 6mm
- PVC / magnetic seals
- Chromed brass bolt through handles
- Chromed plastic top caps
- Bearing assemblies running in the top rail

 Door Aperture
 Adjustment

 760mm Corner Entry Shower Door
 375mm
 725-750mm
 €395.30

 800mm Corner Entry Shower Door
 400mm
 765-790mm
 €404.24

 900mm Corner Entry Shower Door
 470mm
 865-890mm
 €430.71

Shower Glass Roller Replacement Set

Pressing this button causes the rollers to move down and out of the aluminium track in which they are captive



All WaterBox shower doors include high quality rollers. The bottom rollers feature sprung loaded nylon wheels which facilitate easy removal. Replacement sets are available.

WBC76CS

WBC8CS

WBC9CS

Single Door Quadrant

Two Door Quadrant

Our elegant Quadrant doors create a stylish and simple showering solution. The Quadrant is a perfect configuration for when space is at a premium. The sliding doors are a clever space saving tactic, whilst offering an indulgent showering area. The "quick release" door roller mechanism makes for easy cleaning. In addition, it is also available in an offset version, which is ideal for a bathroom that has more space to spare on one wall and less on another. See the following page.



Door Adjustment **Aperture** WBSQ9CS 900mm Single Door Quadrant 450mm 865-890mm €432.94 Door Adjustment Aperture WBQ8CS 800mm Two Door Quadrant 380mm 765-790mm €378.12 WBQ9CS 900mm Two Door Quadrant 510mm 865-890mm €378.12 WBQ10CS 1000mm Two Door Quadrant 510mm 965-990mm €440.56

- Height: 1900mm
- Glass Thickness: 6mm
- Tray Compatibility: 550mm radius
- Full length colourless PVC and magnetic seals
- Chromed brass handles on inside and outside of enclosure
- Chromed plastic top caps
- Easy Installation
- Reversible for left or right hand fixing



Single Door Offset Quadrant

Two Door Offset Quadrant

Our elegant Offset Quadrant doors create a stylish and simple showering solution. The Quadrant is a perfect configuration for when space is at a premium. The sliding doors are a clever space saving tactic, whilst offering an indulgent showering area. The "quick release" door roller mechanism makes for easy cleaning. In addition, it is also available in an offset version, which is ideal for a bathroom that has more space to spare on one wall and less on another.

WATERBOX





		Door Aperture	Adjustment	
WBSQ98CS	900mm x 800mm Single Door Offset Quadrant	450mm	865-890mm & 765-790mm	€432.91
WBSQ810CS	1000mm x 800mm Single Door Offset Quadrant	450mm	765-790mm & 965-990mm	€480.66
WBSQ812CS	1200mm x 800mm Single Door Offset Quadrant	450mm	765-790mm & 1165-1190mm	€512.29
WBSQ129CS	1200mm x 900mm Single Door Offset Quadrant	450mm	1165-1190mm & 865-890mm	€526.88
WBQ98CS	900mm x 800mm Two Door Offset Quadrant	450mm	865-890mm & 765-790mm	€411.86
WBQ810CS	1000mm x 800mm Two Door Offset Quadrant	450mm	765-790mm & 965-990mm	€440.56
WBQ812CS	1200mm x 800mm Two Door Offset Quadrant	450mm	765-790mm & 1165-1190mm	€484.63
WBQ129CS	1200mm x 900mm Two Door Offset Quadrant	520mm	1165-1190mm & 865-890mm	€499.00

- Height: 1900mm
- Glass Thickness: 6mm
- Tray Compatibility: 550mm radius
- Full length colourless PVC and magnetic seals
- Chromed brass handles on inside and outside of enclosure
- Chromed plastic top caps
- Easy Installation
- Reversible for left or right hand fixing

Sliding

WATERBUX

Side Panels

With its clear glass expanse, the Sliding Door really highlights the available showering space. The stylish sliding doors glide effortlessly on the single unobtrusive top rail and the 'quick release' mechanism featured on the bottom rail. It is an ideal solution for when there are bathroom obstructions such as sinks and towel rails outside of the enclosure. The Sliding Doors can be combined with Side Panels to create a larger showering area to suit all your showering needs.



- Height: 1900mm
- Glass Thickness: 6mm
- PVC / magnetic seals
- Chromed brass bolt through handle
- Chromed plastic top caps
- Bearing assemblies running in the top rail
- Reversible for left or right hand fixing

		Door Aperture	Adjustment	
WBS10CS	1000mm Sliding Shower Door	390mm	940-990mm	€311.55
WBS11CS	1100mm Sliding Shower Door	440mm	1040-1090mm	€319.37
WBS12CS	1200mm Sliding Shower Door	490mm	1140-1190mm	€323.65
WBS14CS	1400mm Sliding Shower Door	590mm	1340-1390mm	€355.18

Side Panels are compatible with the Bi-Fold, Pivot and Sliding Doors. They feature bright silver framing and clear glass.



- Height: 1900mm
- Chromed plastic top caps
- Glass Thickness: 6mm
- Reversible for left or right hand fixing

		Adjustment	
WBR7CS	700mm Side Panel	665-690mm	€200.59
WBR76CS	760mm Side Panel	725-750mm	€202.89
WBR8CS	800mm Side Panel	765-790mm	€209.16
WBR9CS	900mm Side Panel	865-890mm	€218.48
WBR10CS	1000mm Side Panel	965-990mm	€232.88



WBHL3CS	300mm In Line Frameless Shower Glass Panel	€200.59
WBZEXS	Extension Profile 40mm Extra Adjustment	€69.21



Wet Room Shower Panel including Low Level Chrome Brace Bar

At 2000mm high and 8mm thick glass this striking Wet Room Wall Panel will create a minimalist setting. This panel can be installed on a shower tray or on a tiled floor. It is available in six size options and can be fitted with an optional return panel for increased water integrity.

Wet Rooms present total ease of access, with door-less entry and level access, which is perfect for the whole family and inclusive for all users.

"Flipper" for Wet Room Shower Panel

The "Flipper" Panel is intended to fix on a Wet Room Shower Panel. It may also be easily retro fitted. It is intended to prevent any water from escaping especially when using a power shower. It is hinged and available in three different widths.

- 8mm thick glass
- 2000mm high
- Universal Chrome bracing bar included
- Chromed top caps

		Adjustment	
WBSP7CS	700mm Shower Panel	657 - 672mm	€323.82
WBSP8CS	800mm Shower Panel	757 - 772mm	€323.82
WBSP9CS	900mm Shower Panel	857 - 872mm	€323.82
WBSP10CS	1000mm Shower Panel	957 - 972mm	€323.82
WBSP11CS	1100mm Shower Pane	1057 - 1072mm	€335.00
WBSP12CS	1200mm Shower Panel	1157 - 1172mm	€335.00

- 8mm thick glass
- 2000mm high
- Chromed hinge included

Actual Size
(mm)

WBSPM2CS	200mm "Flipper" Panel	243	€167.10
WBSPM3CS	300mm "Flipper" Panel	343	€176.80
WBSPM4CS	400mm "Flipper" Panel	443	€185.80



Bracing Bars



Α	WBBK4590	Low Level Brace Bar 1030mm	€94.94
В	WBBK10	High Level Brace Kit 1135mm	€162.24
С	WBBKT90	Side Panel Brace Kit 1000mm	€150.62







Bath Screens



		Adjustment	
WBD3CS	820mm x 1360mm Square	810-825mm	€139.66
WBD2CS	820mm x 1360mm Curved	810-825mm	€139.66



- 5mm thick glass
- Reversible for left or right fitting
- Not recommended for use with pumped or pressurised systems (not power shower approved)

Falcon 30 Low Step In Shower Trays









Suits wooden floors





Suits screeded

Load Capacity





Gravity wastes supplied

Pumped wastes available (see page 178)



by up to 300mm



Waste Options


Falcon 30 supplied with 50mm water seal, 11/2" outlet ST90CPB-P-70 gravity waste. Flow rate in excess of 35 l/m.

- Lowest entry, high performance tray range, just 30mm high "Best in
- Independently tested "Best in Class" anti-slip surface to DIN 51097:1992
- Class "C", the highest achievable classification that tests slip resistance, with easy clean finish
- Addresses problematic spaces with the cut to size ability to suit any area where access may be restricted. Can be cut down by up to 300mm
- Reinforced SMC construction tested to withstand 635Kg
- Exceptionally strong & self supporting, rests unsupported on the existing bathroom floor without being bedded down onto a sand and cement mix
- Circular ribbed underside designed for setting into a concrete or screed base & eliminates slippage when installing
- Waste positions situated to allow trap to avoid floor joists
- Unique end cap easily seals and screws in place to conceal the cut end of 700 and 800mm trays. Note: They are not available for 900 or 1000mm sizes


Highest achievable classification.

Best in class anti-slip surface to DIN 51097:1992 class "C".

3 "Screw ports" allow the tray to be cut down by up to 300mm and an end cap to be attached.



Unique end cap can be used to make bespoke 700mm & 800mm tray lengths, but are not available for 900mm & 1000mm sizes. Square trays cannot be cut.




1000 500 1000 200



Ultra slim 30mm profile, the Falcon 30's are the lowest shower tray available.

FALCON 30

NOTE! The thick black line illustrates a left hand installation - the corner into which the tray is being installed is on the left hand side; and therefore when ordering a door for this application, a LH version should be specified.



Falcon 30 Low Level Step In Shower Trays c/w Waste Outlets

Code	Size	Compatible Doors Square Corner Entry	Compatible Doors L Shaped Corner Entry	Compatible Doors Alcove	Price
FAL9090	900mm x 900mm	WF39090			€366.51
FAL100100	1000mm x 1000mm	WF3100100		WF191000	€376.60
FAL13070	1300mm x 700mm		WF313070L & R	WF191200	€366.51
				WF191000	
FAL14080	1400mm x 800mm		WF314080L & R	WF191200	€366.51
			WF313080L & R 🔕	WF191400	
FAL18070	1800mm x 700mm			WF191800	€510.26
				WF191700	
FAL18080	1800mm x 800mm			WF191800	€510.26
				WF191700 📀	

Shower Doors to suit above Trays

Square Corner Entry


WF39090	900mm x 900mm Shower Door c/w Rail 02L9LUX & Curtain 01SS1820	€778.80
WF3100100	1000mm x 1000mm Shower Door c/w Rail 02L10LUX & Curtain 01SS1820	€778.80

Rectangular Corner Entry


WF313070L	1300mm x 700mm Shower Door c/w Rail 02L75X15 & Curtain 01SS2520 LH	€778.80
WF313070R	1300mm x 700mm Shower Door c/w Rail 02L75X15 & Curtain 01SS2520 RH	€778.80
WF313080L	1300mm x 800mm Shower Door c/w Rail 02L90X15 & Curtain 01SS2520 LH	€778.80
WF313080R	1300mm x 800mm Shower Door c/w Rail 02L90X15 & Curtain 01SS2520 RH	€778.80
WF314080L	1400mm x 800mm Shower Door c/w Rail 02L90X15 & Curtain 01SS2520 LH	€778.80
WF314080R	1400mm x 800mm Shower Door c/w Rail 02L90X15 & Curtain 01SS2520 RH	€778.80

Alcove - Between Walls (Twin Bifolding Inline LUX)

	3	- /
WF191000	1000mm Shower Door c/w Rail 02S1000 LUX & Curtain 01SS1820	€778.80
WF191200	1200mm Shower Door c/w Rail 02S1500 LUX & Curtain 01SS1820	€778.80
WF191400	1400mm Shower Door c/w Rail 02S1500 LUX & Curtain 01SS1820	€778.80
WF191700	1700mm Shower Door c/w Rail 02S2000 LUX & Curtain 01SS1820	€778.80
WF191800	1800mm Shower Door c/w Rail 02S2000 LUX & Curtain 01SS1820	€778.80



CONLOUR





CONLOUR

ShowerDec® Wet Room Floor Formers



Waste Options

These trays are not supplied with a waste outlet. The type required depends on whether the tray is to be tiled (as in the photograph to the left) or covered in vinyl. Use the TSG52T6SS with a tiled floor and the CTW01 with a vinyl floor.

Features

- A level access wetroom shower area concealed beneath the vinyl or tiled flooring once installed
- Tested to withstand 635 Kg across the entire surface area to simulate a standing person
- No additional support needed around the waste assisting ease & speed of installation*
- 24mm thick to facilitate installation with existing floorboards
- 40mm flat area around the floor former perimeter for door placement & water retention
- Larger shower area, ideal for wheelchairs



Suits wooden floors



Suits screeded floors



Load Capacity



Pumped wastes available (see page 178 + 371)




Cut to size bath replacement options

*Tested in accordance with a standard floor with 16" joist centres of 47mm width & supported around the floor former outer edges. No additional support around the waste area.



ShowerDec® cross section detail.

	n Floor Formers must be ordered separately) Size	Compatible Doors Square Corner Entry	Compatible Doors L Shaped Corner Entry	Compatible Doors Alcove	Price
SD9090	900mm x 900mm	WF39090			€341.10
SD100100	1000mm x 1000mm	WF3100100		WF191000	€341.10
SD120120	1200mm x 1200mm	WF3120120		WF191200	€426.33
SD12075	1200mm x 750mm		WF312075L & R		€341.10
SD13080	1300mm x 800mm		WF313080L & R		€346.37
SD18082	1800mm x 820mm			WF191800	€426.33



Shower I	Doors t	to suit	above I	Floor	Formers
----------	---------	---------	---------	-------	---------

WF39090	900mm x 900mm Shower Door c/w Rail 02L9LUX & Curtain 01SS1820	€778.80
WF3100100	1000mm x 1000mm Shower Door c/w Rail 02L10LUX & Curtain 01SS1820	€778.80
WF3120120	1200mm x 1200mm Shower Door c/w Rail 02L12LUX & Curtain 01SS1820	€778.80


Rectangular Corner Entry


Square Corner Entry

WF312075L	1200mm x 750mm Shower Door c/w Rail 02L75X12 & Curtain 01SS1820 LH	€778.80
WF312075R	1200mm x 750mm Shower Door c/w Rail 02L75X12 & Curtain 01SS1820 RH	€778.80
WF313080L	1300mm x 800mm Shower Door c/w Rail 02L90X15 & Curtain 01SS2520 LH	€778.80
WF313080R	1300mm x 800mm Shower Door c/w Rail 02L90X15 & Curtain 01SS2520 RH	€778.80


Alcove - Between Walls (Twin Bifolding Inline LUX)

WF191000	1000mm Shower Door c/w Rail 02S1000 LUX & Curtain 01SS1820	€778.80
WF191200	1200mm Shower Door c/w Rail 02S1500 LUX & Curtain 01SS1820	€778.80
WF191800	1800mm Shower Door c/w Rail 02S2000 LUX & Curtain 01SS1820	€778.80










Vinyl Floor Wastes

- 1 CTW01 €42.35
- 2 TSG52SS €196.63



Tiled Floor Waste TSG52T6SS €196.63





- No raised collar around the underside of the waste making installation on timber floors easier.
- Circular ribbed underside designed for setting into a concrete or screed base and eliminates slippage when installing.
- Textured top surface allows excellent adhesion of vinyl flooring.
- Offset waste positions to avoid joists.
- Pre-formed semi-drilled fixing points for secure installation.
- Can be cut to size in virtually any position using a circular saw or jigsaw.
 Suitable for timber & screeded floors.



CONLOUR

Swift Level Access Shower Trays

- Provides a practical corner entry showering solution for users with mobility difficulties or requiring wheelchair access
- Anti-slip surface for an assured underfoot grip
- Installation friendly, no need for intricate corner seam welds
- Hot seam weld vinyl sheet flooring directly onto the tray's unique TRUESEAL2 floor edge profile, creating a perfect watertight join
- Only requires the removal of ~14mm of flooring, the equivalent of a floorboard (apart from the trap area where additional space is required)
- Locate in wooden or solid floor settings, minimal need for additional support under the tray required
- Shower tray enclosure and ancillary equipment can be installed during
- one site visit, leaving the flooring to be fitted afterwards 14mm tilling lip is watertight and will accommodate wall boards or wall tiles
- Handed & non-handed tray options available
- Exclusively incorporates Biomaster Antibacterial product protection.





Eagle Two Waste Options Supplied with 50mm water seal,

1½" outlet ST90CPB-P-70 gravity waste. Flow rate in excess of 35



Suits wooden floors

Suits screeded floors


Load Capacity

Gravity wastes supplied

Pumped wastes available (see page 178 + 371)

Swift Tray

Eagle Tray



A - floorboard or concrete flooring

Hot seam weld vinyl flooring directly to the shower tray's TRUESEAL2 profile.

Swift & Eagle Level Access Shower Trays c/w Waste Outlets

Code	Size	Doors Square Corner Entry	Doors L Shaped Corner Entry	Doors Alcove	Price
SWI945 (Swift)	945mm x 945mm	WF3945			€672.61
SWI1045 (Swift)	1045mm x 1045mm	WF31045			€672.61
SWI1095L (Swift)	1095mm x 795mm		WF31095L		€672.61
SWI1095R (Swift)	1095mm x 795mm		WF31095R		€672.61
EA185745 (Eagle)	- (Bath Replacement)			WF191700	€860.09
	1850mm x 745mm			WF191800	

5 14 25 -14

Tiling lip detail. Also used to secure the shower tray to the wall.

Shower Doors to suit above Trays

WF3945	945mm x 945mm Shower Door c/w Rail 01L9LUX & Curtain 01SS1820	€778.80
WF31045	1045mm x 1045mm Shower Door c/w Rail 02L10LUX & Curtain 01SS1820	€778.80

Rectangular Corner Entry

Square Corner Entry

WF31095L	1095mm x 795mm Shower Door c/w Rail 02L75X12 & Curtain 01SS1820	€778.80
WF31095R	1095mm x 795mm Shower Door c/w Rail 02L75X12 & Curtain 01SS1820	€778.80


Alcove - Eagle Two - Between Walls (Twin Bifolding Inline LUX)


WF191700	1700mm Shower Door c/w Rail 02S2000 LUX & Curtain 01SS1820	€778.80
WF191800	1800mm Shower Door c/w Rail 02S2000 LUX & Curtain 01SS1820	€778.80




14mm tiling lip is watertight and will accept wall tiles or wallboards.

945mm 300mm 300mm





Not handed








Island Shower Enclosure







Shower Tray (Falcon 30) c/w ST90CP107 Waste Outlet Code Size

Price

FAL100100 1000mm x 1000mm €376.60

Shower Door

WFU101010 1000mm x 1000mm x 1000mm Twin Trifold Shower Door c/w Rail 02U3000LUX & 2 no. Curtains 01SS1820 €955.78

User Benefits

Rise & fall hinge system lifts the doors by at least 10mm as they are opened, to prolong the life of the floor seal and make the doors easier to operate
• Easy grip "D" handles supplied to assist opening


- Full length magnetic door closing seals the door at the closing point. **Specifier Benefits**
- Manufactured from components that are 100% recyclable
- Glazed with 3mm impact resistant PET
- Half height doors manufactured at 750mm, a preferred height for carers
- All seals manufactured from flexible PVC, rubber or co-extruded rubber

Installer Benefits

- Pre-assembled for easy installation
- Wall leveling compensator allows at least 25mm of adjustment for out of square walls & floors
- •Integrated corner block designed to be trimmed to suit 10mm or 38mm radiused floor covings
- Step by step, easy to follow installation guides supplied

Integrated corner block designed to be trimmed to suit radiused floor covings.







and are easy to operate and highly manoeuvrable. Doors will also remain open when in the open position.



Easy to grip "D" handles supplied for users with limited strength.







Antibacterial Shower Curtains

Curtain Rails









Aluminium Curtain Rails

Antibacterial Shower Curtains

- Satin striped white, weighted 115gm, polyester curtains
- 50g weighted bottom seam stops a curtain from riding up whilst the shower is in use
- Rust proof, chrome nickle plated eyelets
- Antibacterial treatment inhibits the growth of bacteria and fungi to eliminate unpleasant smells and textile staining

01SS1820	1800mm x 2000mm Weighted Shower Curtain	€35.21
01SS2520	2500mm x 2000mm Weighted Shower Curtain	€36.95





€103.65 2500mm Flexitrack Rail

Straight Rails

02S100LUX 1000mm €62.19 02S1500LUX 1500mm €64.42 02S2000LUX 2000mm €66.62 02S2500LUX 2500mm €68.85

Flexitrack Curtain Rail

02FLEX25

- Easily bends to any shape.
- Can be trimmed to size and easily bent to create any shape.
- No special tools required.
- 2500mm in length, includes hooks, gliders, ceiling drop rod support and wall brackets.

"L" Shaped Rectangular Rail

(For corner or larger shower areas)

02L9LUX	900mm x 900mm	€69.43
02L10LUX	1000mm x 1000mm	€69.43
02L12LUX	1200mm x 1200mm	€71.85
02L75X12	750mm x 1200mm	€71.85
02L75X15	750mm x 1500mm	€71.85
02L75X18	750mm x 1800mm	€74.37
02L90X15	900mm x 1500mm	€71.85
02L90X18	900mm x 1800mm	€74.37



U Shaped (aluminium)

00110000	0000	(4 4 4)	COO 0
02U3000	3000mm	(1m x 1m x 1m)	€88.84















07SS51 €249.45 **Dimensions:** Height: 440 to 560cm, Width: 550cm, Depth: 550cm



Grey 07SS53 €329.46 **Dimensions:** Height: 460 to 580cm, Width: 550cm, Depth: 550cm

- Clip on, easy to clean, plastic moulded seats, with drainage holes
- Fold up against the wall when not in use

- Tested in accordance with BS EN 12182:2012
- Seats tested to withstand up to 285 Kg, arm rests 95 Kg

P12 Waste Pump

Features

- Near silent operation
- Reliable peristaltic pump design. Water travels through sealed tube reducing the risk of blockage
- Variable speed transformer allows precise control of the pump speed to match the shower flow rate
- Standard kits include 1 x flow switch for electric shower installations
- Suitable for electric and mixer showers (Additional flow switch required for mixer shower installations)
- Complete with 2 metre length of 22mm flexible pipe for improved performance.













(for use with Showerdec (for use with Swift shower trays) (for use with Eagle and Falcon floor formers) 30 shower trays)

11001 1011	ners) 30 snower trays)	
05PP01B	P12 Shower Waste Pump c/w flow switch for use with Showerdec Formers	€827.18
05PP01A	P12 Shower Tray Waste Pump c/w flow switch for use with Swift Trays	€827.18
05PP01D	P12 Shower Tray Waste Pump c/w flow switch for use with Eagle & Falcon Trays	€827.18
05PP11	Flow switch for use with mixer showers	€68.20



Power rating Inlet & Outlet connection Power Consumption Supply rating

Variable speed

Compatible wastes

Yes, 22mm outlet 24v DC 22mm 36 watts 2.5amp fast blow fuse IP65 for bathrooms*

Yes

*Never install directly in the shower area

Shower Chair with Handles and Back Rest



Shower Seat with Back Rest



- Specifications Leg width: 50 cm
- Weight capacity of 135 kg
- Height adjustable: 40 to 54 cm (From floor to seat)
- Seat size: 40 cm wide by 33 cm deep
- Weight of shower chair: 3 kg

A15401 €86.25

- Fully height adjustable
- Ergonomic handles for support when standing
- Ferruled feet provide stability on a wet floor
- Non-slip seat surface
- Lightweight aluminium frame
- Easy, tool-free assembly
- Smooth, accessible surfaces for ease of cleaning



Specifications

- Leg width: 45 cm
- Weight capacity of 100 kg
 Height adjustable: 35 to 50 cm (from floor to seat)
- Seat size: 49 cm x 29 cm
- Height of backrest (from seat): 37 cm
- Weight of shower chair: 2.8 kg

A15403 €69.60

- Fully height adjustable
- Ergonomic hand grips at the sides of the seat for maximum comfort
- Innovative legs design for superior stability
- Non-slip seat surface
- Sturdy and lightweight aluminium frame
- Ferruled feet provide stability on a wet floor
- Smooth, accessible surfaces for ease of cleaning.



Shower Seat without Back Rest



- Made of high quality aluminium material, with a waterproof PE backrest and seat. It has a drainage outlet on the surface which features a clear and anti-skid texture.
- There are 12 drainage holes to avoid soak in the water all the time
- It features "cut outs" in the seat making it easy to move
- Ergonomic seat board and backrest, which is comfortable to sit on
- Fully height adjustable
- Ferruled feet provide stability on a wet floor.
- Weight capacity of 100 kg
- Smooth, accessible surfaces for ease of



Round Shower Stool



Round Shower Stool with Swivel Seat

- Rotating seat reduces twisting and reaching while in the shower providing added manoeuvrability
- The rotating top of the seat can be removed for easy cleaning.
- Fully height adjustable
- Ferruled feet provide stability on a wet floor
- Smooth, accessible surfaces for ease of cleaning
- Dimensions: 33cm in diameter.
- Weight capacity of 100 kg



A15405 €48.96 A15406 €60.91

Wall Mounted Folding Shower Seat

01 AFSS1 €67.13 Weight allowance 130 kg - (20 Stone) Manufactured from Powder Coated Mild Steel and ABS Plastic

Wall Mounted Folding Shower Seat made from translucent plastic with a stainless steel frame




Narrow Wall Mounted Folding Shower Seats With Legs



Weight allowance 130 kg - (20 Stone)

Manufactured from Powder Coated Mild Steel and ABS Plastic

Wide Wall Mounted Folding Shower Seat With Legs



Manufactured from Powder Coated Mild Steel and ABS Plastic


520 mm Wide Shower Bench



Shower/Bath Mat with Suction Cups



Adjustable Bath Seat with Backrest



Features:

€30.30

- Made from ABS Plastic and Rubber
- Size of 600mm x 400mm
- Non Slip Hygienic Surface

Prevents slipping in the bathroom - an alternative to standing on a towel or similar mat laid on a tiled floor which can easily move causing people to fall

Angled Safety Grab Rails with Concealed Fixing Points







12" Grab Rails

1232W	White	€25.12
1232B	Blue	€27.39
1232R	Red	€27.39
1232C	Chrome	€27.83



18" Grab Rails

1832W	White	€26.89
1832B	Blue	€29.33
1832R	Red	€29.33
1832C	Chrome	€29.84



24" Grab Rails

2432W	White	€29.67
2432B	Blue	€32.43
2432R	Red	€32.43
2432C	Chrome	€32.96

Please note that fixings are not included with this device as the fixing method will depend on the structure onto which the rail is to be secured. If fitting to a concrete or masonry wall, make sure that good quality plugs and screws are used.Do not fix onto a plasterboard wall unless backing timbers or suitable alternative of sufficient strength is used to ensure a safe and adequate assembly.



These Rails are NOT suitable for use inside Shower Areas

Safety Grab Rails with Concealed Fixing Points



750mm (30") Hinged Grab Rails Without a Hinged Support Leg

TWI1	White	€96.34
TWIB	Blue	€105.73
TWIR	Red	€105.73
TWIC	Chrome	€107.59


750mm (30") Hinged Grab Rails With a Hinged Support Leg


75HGRLW	White	€105.39
75HGRLB	Blue	€115.68
75HGRLR	Red	€115.68
75HGRLC	Chrome	€117.73


Please note that fixings are not included with these rails as the fixing method will depend on the structure onto which the rail is to be secured. If fitting to a concrete or masonry wall, make sure that good quality plugs and screws are used.

Do not fix onto a plasterboard wall unless backing timbers or suitable alternative of sufficient strength is used to ensure a safe and adequate assembly.

Both rails incorporate a simple "lift and lock" safety mechanism which keeps the Grab Rail upright against the wall when it is not in use.







01 Long Bar Only

PNY350 350mm €17.47 PNY400 400mm €18.34 PNY450 450mm €19.26 PNY500 500mm €20.13 PNY550 550mm €25.70 PNY600 600mm €26.98


Plastic Safety Grab Bar System







Possible Configurations



The range of fittings and a selection of rail lengths provides unlimited versatility in Strong fittings with application. Because the system is made exclusively of non- corrosive metals a 35mm diameter (aluminium and stainless steel) and white moulded nylon, it is suitable for most **Grip Profiled** Grab Rail installation applications.

02	PNY100	Pair 90 Deg. End Brackets	€35.70
03	PNY101	Straight Jointing Bracket	€16.58
04	PNY102	Angled 90 Deg. Jointing Bracket	€21.47
05	PNY103	Angled 35 Deg. Jointing Bracket	€21.47
06	PNY104	Internal Corner Bracket	€21.78
07	PNY105	Hinged Bar	€111.54



ABS Plastic Ribbed Grab Rails

35mm diameter rails with concealed fixing points



Box of	5 Grab Rails containing:	
1 x 24"	, 1 x 18", 2 x 12" and 1 x 6"	

White

Chrome	011	245.05
2432ABSW	24"	€17.18
1832ABSW	18"	€14.93
1232ABSW	12"	€13.02
632ABSW	6"	€11.30

Chrome		
632ABSC	6"	€15.05
1232ABSC	12"	€17.28
1832ABSC	18"	€19.87
2432ABSC	24"	€22.84

White SGB5W €40.32

Chrome SGB5C

€54.42


Chromium Plated Brass Hand Rails

25mm diameter rails with concealed fixing points

PBC9384	35cm	€32.07
PBC9385	49cm	€34.49

32mm Diameter Stainless Steel Grab Rails with Knurled Grip







Email: sales@excel-industries.com